Approved For Release 2002/06/27: ② 1月-東京 78-04718A002000380011-8

Building Planning Staff

30 November 1955

Chief, Records Management Staff

Review of DD/I Space Requirements for Files for the Hew Headquarters Building

1. A review of the file space requirements for DDI offices listed in your memorandum of 9 September 1955 has been completed. A summary of the recommended actions on the 20 areas reviewed is as follows:

a. Approval 2
b. Reduction 5
c. Increase 10
d. Transferred 3

Total office file space requested
(not including transferred area) 20,850
Total office file space recommended 23,930
Not difference - 3010 sq. ft. increase or 14,7%

- 2. Our recommendations with justifications and the signed concurrence of the various office representatives are shown in Attachments 1 to 5 inclusive.
- 3. A major unresolved consideration in the file space planning for ER, IR and CR of OCR and the Data Control Branch, Coerdination area of ORR is the lack of any system for controlling or limiting file growth. Such systems usually involve a "cut off" plan which will permit destruction or retirement of unneeded or inactive material, or the use of microfilm or other media for reducing the bulk of the older material. OCR has computed their expansion requirements on a 5 year basis while the Data Control Branch of ORR has used 7 years. However, unless some action is taken to control this growth, these offices will be faced with an expansion problem within a short time after occupying the space they are now requesting.

Document No		
No Change in Clas Declassified	\$.X	ing.
Class. Changed to:	TS S C	1989
Next Review Date:		70/
Auth.: An 70-3	9 1079	Ву

25X1

4. It is suggested that this expansion problem either be solved or made a matter of record by requesting a statement from the respective offices setting forth their plans for continuing operations after the 5 or 7 year period used in estimating their space requirements.

Attachments

(1) 00 - Contact Div.File Space Requirements

25X1A9A

- (2) ONE File Space Requirements
- (3) ORR File Space Requirements
 (1) OBI File Space Requirements
- (5) OCR File Space Requirements

Distribution

25X1A9A

Orig and 1 - Addressee DD/I 1 - Kr 1 - HMS

MgtS/RMS/ par(30 Nov 1955) 25X1A9A

Approved For Release 2002/06/27 : CIA-RDP78-04718A002000380011-8

MISSING PAGE

ORIGINAL DOCUMENT MISSING PAGE(S):